

Central Coast Regional Water Quality Control Board

NOTICE OF PUBLIC HEARING – PUBLIC NOTICE

WASTE DISCHARGE REQUIREMENTS ORDER R3-2021-0076 FOR THE CHEVRON GUADALUPE LANDFILL

The California Regional Water Quality Control Board, Central Coast Region (Central Coast Water Board) has released draft Waste Discharge Requirements Order R3-2021-0076 (Order) to regulate the operation of a Class II landfill within the former Guadalupe Oil Field for the disposal of onsite non-hazardous impacted soils. The draft Order is available on the Central Coast Water Board's website:

https://www.waterboards.ca.gov/centralcoast/board_decisions/tentative_orders/

The Central Coast Water Board will hold a public hearing to consider the issuance of the proposed Order on December 9-10, 2021 at the:

Central Coast Regional Water Quality Control Board
895 Aerovista Place, Suite #101
San Luis Obispo, CA 93401

Due to COVID-19 safety concerns, the meeting location and format (in person or video conference) will be determined at a later date. The final meeting agenda and Staff Report will be available at least 10 days before the Board meeting, at:

https://www.waterboards.ca.gov/centralcoast/board_info/agendas/2021/2021_agendas.html

Interested persons are invited to submit comments in writing to the Central Coast Water Board by email at jordan.haserot@waterboards.ca.gov or to the San Luis Obispo address above no later than **October 4, 2021**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the proposed Order to the Board on December 9-10, 2021. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after October 4, 2021, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals

DR. JEAN-PIERRE WOLFF, CHAIR | MATTHEW T. KEELING, EXECUTIVE OFFICER

must explain why such materials were not submitted by October 4, 2021. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing either in person or virtually depending on the format and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits (typically three minutes) on oral comments. Oral presentations will be limited in time by the Board Chair, and a timer may be used. Where speakers can be grouped by affiliation or interest, such groups are expected to select a spokesperson and to not be repetitive. The Board will accommodate spokespersons by granting additional time if other group members will not also be speaking.

Any questions regarding the proposed waste discharge requirements or the hearing should be directed to Jordan Haserot at (805) 542-4781 or by email at jordan.haserot@waterboards.ca.gov.

The Board meeting will be conducted at a facility that is accessible to people with disabilities. Individuals requiring special accommodations are asked to contact the Clerk to the Board, Ms. Tammie Olson, at (805) 542-4781 or by email at tammie.olson@waterboards.ca.gov at least 5 working days prior to the meeting.

Please bring the above information to the attention of anyone you know who would be interested in this matter.